

Custom & Speed Parts

Am Redder

D-22941 Bargteheide

Tel.: 04532 - 23240

Tel.: 04532 - 202622

Fax: 04532 - 22222

E-mail: info@customspeedparts.de

<http://www.csp-shop.de>

Tabelle 1: Reifenabrollumfänge

sortiert nach Felgendurchmesser

Felge Durchmesser	Reifengröße	Abrollumfang bez. auf Normmaße in mm
13 Zoll	135/70 R 13	1584
13 Zoll	145/70 R 13	1627
13 Zoll	155/70 R 13	1669
13 Zoll	165/70 R 13	1712
13 Zoll	175/70 R 13	1757
13 Zoll	185/70 R 13	1799
13 Zoll	165/65 R 13	1659
13 Zoll	165/65 R 13	1661
13 Zoll	175/65 R 13	1702
13 Zoll	175/60 R 13	1647
13 Zoll	185/60 R 13	1684
13 Zoll	205/60 R 13	1757
13 Zoll	195/55 R 13	1659
13 Zoll	175/50 R 13	1543
13 Zoll	195/45 R 13	1546

14 Zoll	165/70 R 14	1793
14 Zoll	175/70 R 14	1836
14 Zoll	185/70 R 14	1879
14 Zoll	195/70 R 14	1922
14 Zoll	205/70 R 14	1964
14 Zoll	165/65 R 14	1739
14 Zoll	175/65 R 14	1781
14 Zoll	185/65 R 14	1818
14 Zoll	195/65 R 14	1861
14 Zoll	165/60 R 14	1690
14 Zoll	175/60 R 14	1726
14 Zoll	185/60 R 14	1762
14 Zoll	195/60 R 14	1800
14 Zoll	185/55 R 14	1708
14 Zoll	195/55 R 14	1738
14 Zoll	185/50 R 14	1653
14 Zoll	195/45 R 14	1623
14 Zoll	215/40 R 14	1611

15 Zoll	195/70 R 15	1995
15 Zoll	145/65 R 15	1737
15 Zoll	175/65 R 15	1857

15 Zoll	185/65 R 15	1895
15 Zoll	195/65 R 15	1937
15 Zoll	205/65 R 15	1973
15 Zoll	215/65 R 15	2016
15 Zoll	195/60 R 15	1876
15 Zoll	205/60 R 15	1913
15 Zoll	215/60 R 15	1949
15 Zoll	225/60 R 15	1986
15 Zoll	175/55 R 15	1747
15 Zoll	185/55 R 15	1784
15 Zoll	195/55 R 15	1815
15 Zoll	205/55 R 15	1851
15 Zoll	225/55 R 15	1918
15 Zoll	195/50 R 15	1760
15 Zoll	205/50 R 15	1790
15 Zoll	195/45 R 15	1699
15 Zoll	215/45 R 15	1754

16 Zoll	225/60 R 16	2062
16 Zoll	235/60 R 16	2099
16 Zoll	205/55 R 16	1928
16 Zoll	215/55 R 16	1958
16 Zoll	225/55 R 16	1995
16 Zoll	195/50 R 16	1836
16 Zoll	205/50 R 16	1867
16 Zoll	225/50 R 16	1928
16 Zoll	235/50 R 16	1958
16 Zoll	205/45 R 16	1800
16 Zoll	215/45 R 16	1830
16 Zoll	225/45 R 16	1854
16 Zoll	245/45 R 16	1909
16 Zoll	215/40 R 16	1763
16 Zoll	225/40 R 16	1787
16 Zoll	245/35 R 16	1763

17 Zoll	225/55 R 17	2074
17 Zoll	205/50 R 17	1946
17 Zoll	215/45 R 17	1907
17 Zoll	225/45 R 17	1934
17 Zoll	235/45 R 17	1965
17 Zoll	245/45 R 17	1988
17 Zoll	205/40 R 17	1818
17 Zoll	215/40 R 17	1842
17 Zoll	235/40 R 17	1891
17 Zoll	245/40 R 17	1915
17 Zoll	255/40 R 17	1940
17 Zoll	265/40 R 17	1964
17 Zoll	225/35 R 17	1800
17 Zoll	245/35 R 17	1842

18 Zoll	235/50 R 18	2114
18 Zoll	255/45 R 18	2095
18 Zoll	225/40 R 18	1943
18 Zoll	235/40 R 18	1967
18 Zoll	245/40 R 18	1992

18 Zoll	255/35 R 18	1937
18 Zoll	265/35 R 18	1961
18 Zoll	275/35 R 18	1979
18 Zoll	285/30 R 18	1918

19 Zoll	255/40 R 19	2095
19 Zoll	235/35 R 19	1973
19 Zoll	245/35 R 19	1998
19 Zoll	285/35 R 19	2083
19 Zoll	265/30 R 19	1961
19 Zoll	275/30 R 19	1975

Tabelle 2: Reifenabrollumfänge

sortiert nach Abrollumfang

1543	175/50 R 13
1546	195/45 R 13
1584	135/70 R 13
1611	215/40 R 14
1623	195/45 R 14
1627	145/70 R 13
1647	175/60 R 13
1653	185/50 R 14
1659	165/65 R 13
1659	195/55 R 13
1661	165/65 R 13
1669	155/70 R 13
1684	185/60 R 13
1690	165/60 R 14
1699	195/45 R 15
1702	175/65 R 13
1708	185/55 R 14
1712	165/70 R 13
1726	175/60 R 14
1737	145/65 R 15
1738	195/55 R 14
1739	165/65 R 14
1747	175/55 R 15
1754	215/45 R 15
1757	175/70 R 13
1757	205/60 R 13
1760	195/50 R 15
1762	185/60 R 14
1763	215/40 R 16
1763	245/35 R 16
1781	175/65 R 14
1784	185/55 R 15
1787	225/40 R 16
1790	205/50 R 15
1793	165/70 R 14
1799	185/70 R 13
1800	195/60 R 14
1800	205/45 R 16
1800	225/35 R 17

1815	195/55 R 15
1818	185/65 R 14
1818	205/40 R 17
1830	215/45 R 16
1836	175/70 R 14
1836	195/50 R 16
1842	215/40 R 17
1842	245/35 R 17
1851	205/55 R 15
1854	225/45 R 16
1857	175/65 R 15
1861	195/65 R 14